




PRODUCT

Fire Cut P-65CN (FCP-65CN)

1-1

CHEMICAL STRUCTURE



CHEMICAL NAME

Bis [3,5-dibromo-4- (2,3-dibromopropoxy) phenyl] sulfone

PROPERTIES

Appearance	White Powder
Bromine Content	ca. 65%
Melting Point	ca. 105°C
Volatiles	≤ 0.3%

APPLICATION

Polyethylene, Polypropylene, Polystyrene

PACKAGE

25kg net paper bag

FORMULATION

PP	96.0	88.0
FCP-65CN	3.0	9.0
FCP-AT-3 ^{CN} (Sb ₂ O ₃)	1.0	3.0
UL94 3.0mm	V2	V0
1.5mm	V2	V0